### **Conference Programme**



# The 4th International Conference on Paleolimnology of Northern Eurasia 02 September 2020

#### **Moscow time**

Time	Authors	Name presentation	
		Plenary section	
	https://us02web.zoom.u	us/j/84617012300?pwd=UjNGb3h5YzlkU1BtOEFkRk	d6WVNEZz09
09 <sup>00</sup> -9 <sup>10</sup>	Subetto Dmitry Alexandrovich The Herzen State Pedagogical University of Russia, St. Petersburg, Russia Chistyakov Kirill Valentinovich Institute of Earth Sciences, St. Petersburg State University, Russia Fedotov Andrey Petrovich Limnological Institute SB RAS, Irkutsk, Russia	Welcome! Opening of the conference.	
09 <sup>10</sup> -9 <sup>40</sup>	Subetto Dmitry Alexandrovich The Herzen State Pedagogical University of Russia, St. Petersburg, Russia	History of Lake Onego in the late Pleistocene and Holocene. New data based on the study of bottom sediments and GIS reconstruction.	
09 <sup>40</sup> -10 <sup>10</sup>	Strakhovenko Vera Dmitrievna V.S. Sobolev Institute of Geology and Mineralogy SB RAS, Novosibirsk, Russia	Mineralogy and Geochemistry of suspended matter collected by sedimentary traps in different parts of the Lake Onego (first date).	
10 <sup>10</sup> -10 <sup>40</sup>	Ludikova Anna Valeryevna Institute of Limnology, Russian Academy of Sciences, St. Petersburg, Russia	Siliceous microalgaes in the Holocene sediments of Lak	e Ladoga.
10 <sup>40</sup> -11 <sup>10</sup>	Płóciennik Mateusz Wawrzyniec University of Lodz, Department of Invertebrate Zoology and Hydrobiology, Lodz, Poland	A temperature increase during the Holocene Thermal Optimum triggered the development of the Funnel Beaker Culture settlement in Central Poland (Kuyavia Lakeland).	
"Sedimentat	"Paleogeographic reconstructions and GIS modeling cion and geochemistry of bottom sediments" ors of changes in the aquatic environment and climate ors of changes in the aquatic environment and climate the constant of the constant of t	https://us02web.zoom.us/j/83528843890?pwd=a	0?pwd=NFg0V3Z0S3FRdHZ2N2ZrNWdIYIRrUT09 DBhNFZOb29CZ3hNTGJUbUNuWWY1UT09 pwd=ZmFOSEVuYmJaaENPOGtJL2NQR2xKdz09
	Section "Paleogeographic reconstructions and GIS modeling"	Section "Sedimentation and geochemistry of bottom sediments"	Section "Bio-indicators of changes in the aquatic environment and climate"
12 <sup>00</sup> -12 <sup>20</sup>	Rasskazov Sergei Vasilyevich Institute of the Earth's Crust SB RAS, Irkutsk, Russia.  The main structural reorganization of the South Baikal Basin: Early Pliocene initiation of strong tectonic deformations and the Lena runoff from Lake Baikal.	Nikitina Elena Petrovna Baikal Institute of Nature Management, SB RAS, Ulan-Ude, Russia A new approach to paleoreconstruction of Gusinoe lake sediments: lipid biomarker analysis.	Bulkhin Alexander Olegovich Institute of Biophysics SB RAS, Krasnoyarsk, Russia The long-chain alkenones in the upper layers of bottom sediments of salt lakes in Southern Siberia as a potential biomarker of paleo-climate.

12 <sup>20</sup> -12 <sup>40</sup>	<b>Druzhinina Olga Alexandrovna</b> The Herzen State	Fedotov Andrey Petrovich Limnological Institute SB	<b>Denisov Dmitry Borisovich</b> Institute of the North
	Pedagogical University of Russia, St. Petersburg,	RAS, Irkutsk, Russia	Industrial Ecology Problems -Subdivision of the Federal
	Russia	Changes in patterns of mineral and chemical elements	Research Center, Kola Science Center of the RAS, Apatity,
	Southeastern Baltic Region at the turn of the	in bottom sediments of Lake Baikal (Russia) as high-	Russia
	Pleistocene and Holocene. Results and prospects	resolution records of moisture for the past 16-31 ka	Diatom analysis of the Euro-Arctic urban lakes
	of Lake Kamyshovoye (Kaliningrad region) study.	BP.	sediments.
12 <sup>40</sup> -13 <sup>00</sup>	Sinyukovich Valerij Nikolaevich Limnological	Rybalko Alexander Evmen'evich Saint Petersburg	Razumovsky Lev Vladimirovich Water Problems
	Institute SB RAS, Irkutsk, Russia	State University, VNIIOkeangeologia, St. Petersburg,	Institute of the Russian Academy of Sciences, Moscow,
	Catastrophic floods on the southern tributaries of	Russia Lithoseismostratigraphy and features of the	Russia
	Lake Baikal and features of the atmospheric	paleogeographic development of Lake Onega and the	Application of paleolimnological methods in study of
	circulation.	White Sea in the Late Pleistocene and Holocene.	ecosystem transformations in reservoirs.



## The 4th International Conference on Paleolimnology of Northern Eurasia 03 September 2020

#### **Moscow time**

Time	Authors	Name presentation			
	Plenary section				
	https://us02web.zoom.us/j/84617012300?pwd=UjNGb3h5YzlkU1BtOEFkRkd6WVNEZz09				
$09^{00}$ - $9^{30}$	Kononov Evgeny Efimovich	The main factors of the origin and morphology evolution of underwater canyons in the southern and central basins of			
	Limnological Institute SB RAS, Irkutsk, Russia	the Baikal depression.			
$09^{30}$ - $10^{00}$	Bezrukova Elena Vyacheslavovna	Late Glacial-Holocene vegetation of East Sayan M	Iountains and Tunka Rift valley, implications for past environments		
	A.P. Vinogradov Institute of Geochemistry,	of Southern Siberia, Russia.			
	Irkutsk, Russia				
10 <sup>00</sup> -10 <sup>30</sup>	Kalugin Ivan Alexandrovich	Millennial environment chronology in Eastern Tu			
	V.S. Sobolev Institute of Geology and	composition of laminated sediments from Van and Erchek adjacent Lakes.			
	Mineralogy SB RAS, Novosibirsk, Russia				
10 <sup>30</sup> -11 <sup>00</sup>	Płóciennik Mateusz Wawrzyniec	Aquatic biota response to climate and habitat changes since the Valdai Glaciation to the Meghalayan (Serteya region,			
	University of Lodz, Department of Invertebrate	Western Dvina Lakeland).			
	Zoology and Hydrobiology, Lodz, Poland				
Sections:	Sections: "Paleogeographic reconstructions and GIS modeling" <a href="https://us02web.zoom.us/j/87947072410?pwd=NFg0V3Z0S3FRdHZ2N2ZrNWdIYIRrUT09">https://us02web.zoom.us/j/87947072410?pwd=NFg0V3Z0S3FRdHZ2N2ZrNWdIYIRrUT09</a>				
"Sedimentat	Sedimentation and geochemistry of bottom sediments" <a href="https://us02web.zoom.us/j/83528843890?pwd=aDBhNFZOb29CZ3hNTGJUbUNuWWY1UT09">https://us02web.zoom.us/j/83528843890?pwd=aDBhNFZOb29CZ3hNTGJUbUNuWWY1UT09</a>				
"Bio-indicato	ors of changes in the aquatic environment and cl	imate" https://us02web.zoom.us/j/85895	486611?pwd=ZmFOSEVuYmJaaENPOGtJL2NQR2xKdz09		
	Section "Paleogeographic reconstructions	Section "Sedimentation and geochemistry	Section "Bio-indicators of changes in the aquatic		
	and GIS modeling"	of bottom sediments"	environment and climate"		
12 <sup>00</sup> -12 <sup>20</sup>	Gornov Daniil Andreevich	Kulik Natalia Vladimirovna	Antczak-Orlewska Olga Natalia		
	Saint Petersburg State University, Russia	Northern Water Problems Institute Karelian	University of Gdansk, Department of Plant Ecology, Poland		
	Vegetation history of eastern Ladoga region	Research Centre RAS, Petrozavodsk, Russia	Subfossil Chironomidae and other palaeoecological proxies in the		
	during the Holocene, based on palynological	Features of migration of Fe, Mn, Al, Cu and Zn	reconstruction of the Late Vistulian environmental history in		
	study of Piskarskoe lake sediment core.	in the Onego Lake.	central Poland: case study of oxbow fill in Luciąża River valley.		

12 <sup>20</sup> -12 <sup>40</sup>	Chensky Dmitry Alexandrovich	Slukovskii Zakhar Ivanovich	Janik Ewa Agnieszka
	National Research Irkutsk State Technical	Institute of the North Industrial Ecology	University of Gdansk, Department of Plant Ecology
	University, Irkutsk, Russia	Problems of Kola Science Center of RAS, Apatity;	Palaeobiodiversity of a floodplain lake sediments (N Poland) –
	Dramatic level changes of shallow lakes in the	Institute of Geology of Karelian Research Centre	primary and secondary factors shaping sub-fossil assemblages.
	southern part of East Siberia, (Russia) based	of RAS, Petrozavodsk, Russia	
	one high-resolution reflection seismic data and	Vanadium as an indicator of the impact of fuel	
	sediment cores.	oiled thermal power plants on the	
		environment: paleolimnological	
		reconstructions.	
12 <sup>40</sup> -13 <sup>00</sup>			Yermolaeva Nadezhda Ivanovna
			Institute for Water and Environmental Problems, SB RAS, Barnaul,
			Russia
			Role of natural and climatic factors in formation of autochthonic
			organic substance streams in small lakes of the south of Western
			Siberia.



## The 4th International Conference on Paleolimnology of Northern Eurasia 04 September 2020

#### Moscow time

Time	Authors	Name presentation		
	Plenary section			
	https://us02web.zo	oom.us/j/84617012300?pwd=UjNGb3h5YzlkU1BtOEFkRkd6WVNEZz09		
09 <sup>00</sup> -9 <sup>30</sup>	<sup>0</sup> -9 <sup>30</sup> <b>Zhilich Snezhana Viktorovna</b> Climate and lake development history in the south of West Siberia.			
	Institute of Archaeology & Ethnography SB			
	RAS, Novosibirsk, Russia			
09 <sup>30</sup> -10 <sup>00</sup>	Sapelko Tatiana Valentinovna	The development of island lakes of Lake Ladogaduring the Late Pleistocene – Holocene.		
	Institute of Limnology RAS, St. Petersburg,			
	Russia			
10 <sup>00</sup> -10 <sup>30</sup>	Kuznetsov Denis Dmitrievich	Patterns of organic lacustrine sedimentation in surroundings of Lake Ladoga and palaeogeographical background.		
	Institute of Limnology RAS, St. Petersburg,			
	Russia			
10 <sup>30</sup> -11 <sup>00</sup>	Ginter Artur Inari	The age of deposition of accumulative an sediments in Serteyka River Valley (Western Russia).		
	University of Lodz, Institute of Archaeology			
11 <sup>00</sup> -11 <sup>30</sup>	Fedorov Grigory Borisovich	Northern Eurasian large lakes history: sediment records obtained in the frame of Russian-German research project		
	St. Petersburg State University; Arctic and	"PLOT".		
	Antarctic Research Institute, St. Petersburg,			
	Russia			

Sections: "Paleogeographic reconstructions and GIS modeling" <a href="https://us02web.zoom.us/j/87947072410?pwd=NFg0V3Z0S3FRdHZ2N2ZrNWdIYIRrUT09">https://us02web.zoom.us/j/87947072410?pwd=NFg0V3Z0S3FRdHZ2N2ZrNWdIYIRrUT09</a>

 $"Sedimentation and geochemistry of bottom sediments" \underline{https://us02web.zoom.us/j/83528843890?pwd=aDBhNFZOb29CZ3hNTGJUbUNuWWY1UT09}\\$ 

"Bio-indicators of changes in the aquatic environment and climate" <a href="https://us02web.zoom.us/j/85895486611?pwd=ZmFOSEVuYmJaaENPOGtJL2NQR2xKdz09">https://us02web.zoom.us/j/85895486611?pwd=ZmFOSEVuYmJaaENPOGtJL2NQR2xKdz09</a>

	Section "Paleogeographic reconstructions and GIS modeling"	Section "Sedimentation and geochemistry of bottom sediments"	Section "Bio-indicators of changes in the aquatic environment and climate"
12 <sup>00</sup> -12 <sup>20</sup>	Amantov Alexey Vladislavovich A.P. Karpinsky Russian Geological Research Institute (VSEGEI), St. Petersburg, Russia The influence of geological structure on glacial erosion and lake basins formation.	Trunova Valentina Alexandrovna Sobolev Institute of Geology and Mineralogy, SB RAS; Budker Institute of Nuclear Physics, SB RAS, Novosibirsk, Russia Decoding bio-geochemical chronicles from bottom sediments of Lake Baikal to determine trends of climate changes and landscapes by the SRXRF method.	Bolobanshchikova Galina Nikolaevna Institute of Biophysics SB RAS, Krasnoyarsk, Russia Diatoms as biomarker in changes of the Lake Zapovednoye state (Evenkia, Russia).
12 <sup>20</sup> -12 <sup>40</sup>	Zykov Vladimir Viktorovich Institute of Biophysics SB RAS, Krasnoyarsk, Russia Paleolimnological study of Lake Uchum (South Siberia, Russia).	Sadokov Dmitry Olegovich  Darwin State Nature Biosphere Reserve, Cherepovets, Russia  C/N and δC13 patterns in lake sediments as a source of palaeoenvironmental information for the Mologa-Sheksna region (NW Russia).	Rogozin Dmitry Yurievich Institute of Biophysics SB RAS, Krasnoyarsk, Russia Okenone as a proxy of water level and redox-conditions in saline stratified lake Shira (Siberia, Khakassia).
12 <sup>40</sup> -13 <sup>00</sup>	Potakhin Maxim Sergeevich Northern Water Problems Institute Karelian Research Centre RAS, Petrozavodsk, Russia Estimation of sediment sources and budget at Lake Onego watershed after the last glaciation with GIS modeling and sediment geochemistry.	G 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
13 <sup>20</sup> -13 <sup>40</sup>	Subetto D.A. &FedotovA.P. Closing of the Conference.  https://us02web.zoom.us/j/84617012300?pwd=UjNGb3h5YzlkU1Bt0EFkRkd6WVNEZz09		

### **Sponsored by:**







The Conference was supported by the Russian Foundation for Basic Research, project No.20-05-22013,

Helicon Company and SibLabService Company.